

Home Infusion Alternate Site of Care

Prescription & Enrollment Form
Alpha-1



Four simple steps to submit your referral.

1 Patient Information



Please attach copies of front and back of the patient's medical and prescription insurance cards.

New patient Current patient

Patient's first name _____ Last name _____ Middle initial _____

Male Female Last 4 digits of SSN _____ Date of birth _____

Street address _____ Apt # _____

City _____ State _____ Zip _____

Home phone _____ Cell phone _____ E-mail address _____

Parent/guardian (if applicable) _____

Home phone _____ Cell phone _____ E-mail address _____

Alternate caregiver/contact _____

Home phone _____ Cell phone _____ E-mail address _____

OK to leave message with alternate caregiver/contact

Patient's primary language: English Other If other, please specify _____

2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date _____ Time _____ Date medication needed _____

Prescriber's first name _____ Last name _____

Prescriber's title _____ If NP or PA, under direction of Dr. _____

Office address _____

Office contact and title _____

Office contact phone number _____ Office contact e-mail _____

Office/Infusion clinic name _____ Office/Infusion clinic affiliation _____

Street address _____ Suite # _____

City _____ State _____ Zip _____

Phone _____ Fax _____ NPI # _____ License # _____

Deliver product to: Office Patient's home Clinic Clinic location _____

3 Clinical Information

Primary ICD-10 code: _____ E88.01 Alpha-1 antitrypsin deficiency

Weight _____ kg/lbs Date recorded _____ Has the patient ever received augmentation therapy? Yes No

If yes, which one: Aralast® Prolastin® Zemaira Glassia® Smoking history: Yes No If yes, date stopped _____

NKDA Known drug allergies _____

Concurrent meds _____

Vascular access: Peripheral Central Port

Please attach/send the following clinical documentation:

- History and physical (signed)
- PFTs
- Non-smoker or smoking cessation program attestation (MD and patient signature)
- Serum AAT with genotype
- Lung imaging

Patient's first name _____ Last name _____ Middle initial _____ Date of birth _____

Prescriber's first name _____ Last name _____ Phone _____

4 Prescribing Information

Medication	Dose	Directions
<input type="checkbox"/> Aralast-NP <input type="checkbox"/> Glassia <input type="checkbox"/> Zemaira	<input type="checkbox"/> Infuse 60mg per kg (+/- 10%) intravenously weekly (where clinically appropriate, round to the nearest vial size) <input type="checkbox"/> Other regimen _____	Infusion method: <input type="checkbox"/> Gravity <input type="checkbox"/> Pump Rate protocol: For Aralast-NP or Glassia: As tolerated by patient, not to exceed 0.2mL per kg per minute For Zemaira: As tolerated by patient, not to exceed 0.08mL per kg per minute
Premedication to be given 30 minutes prior to infusion: <input type="checkbox"/> _____		
Medications to be used as needed: (please strike through if not required) <input type="checkbox"/> Lidocaine 4% applied topically to insertion site prior to needle insertion as needed for intravenous site pain <input type="checkbox"/> Other _____		
Adverse reaction medications: (keep on hand at all times) Epinephrine 0.3mg auto-injector 2-pk for patients weighing greater than or equal to 30kg. Administer intramuscularly as needed for severe anaphylactic reaction times one dose; may repeat one time. Epinephrine 0.15mg auto-injector 2-pk for patients weighing less than 30kg. Administer intramuscularly as needed for severe anaphylactic reaction times one dose; may repeat one time. Diphenhydramine 25mg by mouth for mild allergic reactions and 50mg for moderate-severe.		
Flushing orders: Normal saline 3mL intravenous (peripheral line) or 10mL intravenous (central line) before and after infusion, or as needed for line patency Heparin 10 units per mL 3mL intravenous (peripheral line) as final flush Heparin 100 units per mL 5mL intravenous (central line) as final flush		
Supplies: (please strike through if not required) Dispense needles, syringes, ancillary supplies and home medical equipment necessary to administer medication.		
Quantity/Refills Dispense 1 month supply. Refill x 1 year unless noted otherwise. <input type="checkbox"/> Dispense 90 day supply. Refill x 1 year unless noted otherwise. <input type="checkbox"/> Other _____		
Lab orders _____		
Skilled nursing visit as needed to establish venous access, administer medication and assess general status and response to therapy. Visit frequency based on prescribed orders.		

*If nursing services will be required for therapy administration, the home health nurse will call for additional orders per state regulations.

**ALL fields must be completed to expedite prescription fulfillment.

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature (sign below) (Physician attests this is his/her legal signature. NO STAMPS) PHYSICIAN SIGNATURE REQUIRED

SIGN HERE

_____ **Date** _____ **Dispense as written** _____ **Date** _____ **Substitution allowed**

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

Prior Authorization Checklist

Alpha-1 Antitrypsin (AAT) Deficiency (Alpha-1)

Providing Vital Care with the documentation outlined in this checklist may increase the likelihood and speed of obtaining coverage for your patients with Alpha-1. Coverage criteria may vary by payer.

Referral Form (not required for electronic prescriptions)	
	Completed Alpha-1 referral form
	Copies of front and back of medical insurance and prescription benefit cards

Clinical Documents	
	History and Physical (Signed) – with documentation of emphysema
	Pulmonary Function Tests (PFTs)
	Serum AAT
	Phenotype
	Lung imaging
	Testing for presence/absence of immunoglobulin A (IgA) antibody
	Attestation of non-smoking status or smoking cessation treatment by physician and patient

Fax completed form to 866.790.3580

If you have any questions, please call our care teams at 945.212.9707