

Pharmacy Name: Address: City/State/Zip: Phone: Fax: Email:

Home Infusion Alternate Site of Care

Gastroenterology Referral Form					
			f Insurance Cards (Front & Back)**		
Last Name:	First	Name:	DOB:	Practice:	
Address:				Address:	
City:	State	: Zip:	Sex: M F	City: State:	Zip:
Phone:		SSN#		Prescriber Name:	
Insurance Information				Prescriber NPI:	
Insurance Plan:		Insurance Plan:		Nurse/Key Contact:	
Policy #		Policy #		Phone:	
Plan I.D. #		Plan I.D. #		Fax: Email:	
Diagnosis & Clinical Information					
Please Attach Clinical/Progress Notes, Labs, Test, Supporting Primary Diagnosis					
Crohn's Dis	ease Diac	nosis code:	TB/PPD Test: Positive Negative Date:		
Ulcerative C		nosis code:			
			Allergies:		
Other:					
Currently received and/or prior filed therapie		s:NKDA			
		Height: Weight:			
_	nent:				
Reason for discontinuation: Site of Care: Home AIC Other:					
		Prescript	tion Information		
Medication	Dose/Strength	Prescript	tion Information Directions		Refills
				8 weeks thereafter	Refills
Medication Entyvio (vedolizumab)	Dose/Strength	INITIAL: Infuse 300mg	Directions g IV at week 0, 2, 6, then every		Refills
Entyvio		INITIAL: Infuse 300mg MAINTENANCE: Infuse	Directions g IV at week 0, 2, 6, then every e 300mg IV every w	eeks	Refills
Entyvio (vedolizumab)		INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t	eeks hen every 8 weeks thereafter	Refills
Entyvio	300mg vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t	eeks hen every 8 weeks thereafter	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade		INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t	eeks then every 8 weeks thereafter weeks	Refills
Entyvio (vedolizumab) Inflectra (infliximab)	300mg vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t	eeks hen every 8 weeks thereafter	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every I to the nearest 100mg Giv	then every 8 weeks thereafter weeks weeks te exact dose (do NOT round)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade	300mg vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every I to the nearest 100mg Giv dosing, infuse IV 60mg (2 vials)	eeks then every 8 weeks thereafter weeks	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based S5kg or less: 26	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, then e mg/kg IV every I to the nearest 100mg Giv dosing, infuse IV 60mg (2 vials)	then every 8 weeks thereafter weeks weeks te exact dose (do NOT round)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial 100mg vial 130 mg / 26ml vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 88 MAINTENANCE: Inject	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, then e mg/kg IV every I to the nearest 100mg Giv dosing, infuse IV 60mg (2 vials)	hen every 8 weeks thereafter weeks weeks de exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial 100mg vial 130 mg / 26ml vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject 9	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, then e mg/kg IV every I to the nearest 100mg Giv dosing, infuse IV 60mg (2 vials)	hen every 8 weeks thereafter weeks weeks de exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials)	
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab)	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials)	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject INITIAL: Infuse 600mg, MAINTENANCE: Inject	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, then e mg/kg IV every I to the nearest 100mg Giv dosing, infuse IV 60mg (2 vials)	then every 8 weeks thereafter weeks re exact dose (do NOT round) Skg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter	
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial & other medications lies as per protocol	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject 9 INITIAL: Infuse 600mg, MAINTENANCE: Inject	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every I to the nearest 100mg Giv dosing, infuse IV 60mg (2 vials)	then every 8 weeks thereafter weeks re exact dose (do NOT round) Skg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter at week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject INITIAL: Infuse 600mg, MAINTENANCE: Inject Acetaminophen Diphenhydramine	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every I to the nearest 100mg	then every 8 weeks thereafter weeks re exact dose (do NOT round) Skg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter at week 12, then every 8 weeks therea	
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial & other medications lies as per protocol	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject of the second of	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every I to the nearest 100mg	then every 8 weeks thereafter weeks re exact dose (do NOT round) Skg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter at week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial & other medications lies as per protocol	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject INITIAL: Infuse 600mg, MAINTENANCE: Inject Acetaminophen Diphenhydramine	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every I to the nearest 100mg	then every 8 weeks thereafter weeks re exact dose (do NOT round) Skg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter at week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Pre-medication * Infusion supp * Anaphylaxis k	300mg vial 100mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial 8 other medications lies as per protocol cit as per protocol	INITIAL: Infuse 300mg MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round INITIAL: Weight based 55kg or less: 26 Greater than 85 MAINTENANCE: Inject of the second of	Directions g IV at week 0, 2, 6, then every e 300mg IV every w mg/kg IV at week 0, 2, 6, t e mg/kg IV every It to the nearest 100mg	then every 8 weeks thereafter weeks re exact dose (do NOT round) Skg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter at week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	

PRESCRIBER MUST MANUALLY SIGN - STAMP SIGNATURE, SIGNATURE BY OTHER PERSONNEL AND COMPUTER-GENERATED SIGNATURES WILL NOT BE ACCEPTED

The attached document(s) contain confidential information which may be considered to be Protected Health Information and therefore required to be maintained as private and secure under HIPAA. The documents may also contain information which is otherwise considered to be privileged under state and federal laws. This communication is for the intended recipient only. If you are not the intended recipient, or a person responsible for delivering this communication to the intended recipient, you are prohibited from viewing, copying and/or distributing the information contained herein. Unlawful disclosure of the information attached may subject you to monetary penalties and sanctions. If you have received this communication in error, you should notify the sender immediately and thereafter permanently destroy all copies of this document in its entirety.